

Unique Identification Code of the Product:

DWSC25
DWSC32
DWSC38
DWSC42
DWSC50
DWSC65
DWSC75
DWSC90
DWSC100

Loose drywall screw: Flat trumpet head, high thread, sharp point, phosphate coating.

EN 14566 Designation = THN

DWSP25
DWSP32
DWSP38
DWSP42
DWSP50
DWSP65
DWSP75
DWSP100

Loose drywall screw: Flat trumpet head, medium thread, sharp point, phosphate coating.

EN 14566 Designation = TMN

DWSZ25
DWSZ32
DWSZ38
DWSZ42
DWSZ50
DWSZ65
DWSZ75
DWSZ90
DWSZ100
DWSZ125
DWSZ150

Loose drywall screw: Flat trumpet head, medium thread, sharp point, zinc coating.

EN 14566 Designation = TMN

CWDCP25
CWDCP32
CWDCP35
CWDCP38
CWDCP42
CWDCP45
CWDCP50
CWDCP55
CWDCP65
CWDCP75

Collated drywall screw: Flat trumpet head, high thread, sharp point, phosphate coating.

EN 14566 Designation = THN

CDWFDZ25
CDWFDZ35
CDWFDZ45
CDWFDZ50

Collated drywall screw: Flat trumpet head,
medium thread, self drill point, zinc coating.

EN 14566 Designation = TMD

CDWFP25
CDWFP32
CDWFP35
CDWFP42
CDWFP45
CDWFP50
CDWFP55

Collated drywall screw: Flat trumpet head,
medium thread, sharp point, zinc coating.

EN 14566 Designation = TMN

CDWFZ25
CDWFZ32
CDWFZ35
CDWFZ38
CDWFZ42
CDWFZ45
CDWFZ50
CDWFZ55
CDWFZ75

Collated drywall screw: Flat trumpet head,
medium thread, sharp point, zinc coating.

EN 14566 Designation = TMN

WHDZ13

Loose drywall screw. Wafer head. Medium
thread. Sharp point. Zinc coating.

European designation = WMN

WHSDZ12
WHSDZ19
WHSDZ25
WHSDZ50
WHSDZ75

Loose drywall screw. Wafer head. Small thread.
Cutting point. Zinc coating.

European designation = WSD

PHSDZ12

Loose drywall screw. Pan head. Small thread.
Cutting point. Zinc coating.

European designation = PSD

F35
F45

Loose drywall screw. Trim head. Small thread.
Sharp point. Black phosphate coating.

European designation = CSN

ETKR140
ETKR160
ETKR180
ETKR200
ETKR220
ETKR240

Loose drywall screw. Flat trumpet head. Small thread. Cutting point. Organic coating.

European designation = TSD

TSPH5.5-19-3
TSPH5.5-25-3

Pan head, small thread, cutting point. Organic coating.

European Designation = PSD

TSLP4.8-16-2
TSLP4.8-22-2
TSLP5.5-38-5

Wafer head, small thread, cutting point. Organic coating.

European Designation = WSD

TSTF4.2-38-3
TSTF4.8-45-3
TSTF5.5-50-3
TSTF5.5-62-3
TSTF5.5-80-3
TSTF5.5-100-3
TSTF5.5-120-3
TSTF5.5-150-3
TSTF5.5-42-5
TSTF5.5-65-5
TSTF5.5-85-5
TSTF5.5-100-5
TSTF5.5-110-5
TSTF5.5-135-5

Flat trumpet head, small thread, cutting point. Organic coating.

European Designation = TSD

Identification Markings Pursuant to Article 11(4):

1. Batch numbers on inner boxes and outer cartons,
2. Individual product bear identification head stamping "EF".

Intended use of the Construction Product, in Accordance with the Applicable Harmonised Technical Specification, as Foreseen by the Manufacturer:

Mechanical fastener (screw) for fixing of gypsum plasterboard systems as per EN 14566: 2008 & A1: 2009.

**Name and Address of the Manufacturer as Required Pursuant to Article 11(5), and that of
Authorised Representative as Required Pursuant to Article 12(2):**

Manufacturer, and the	Authorised representative established within the European Economic Area:
Evolution Fasteners (U.K.) Ltd Elstree House Elstree Way Borehamwood Hertfordshire WD6 1SD	Evolution Fasteners (U.K.) Ltd Unit 2 Clyde Gateway Trade Park Dalmarnock Road Glasgow South Lanarkshire G73 1AE
Manufacturing plant:	1. [REDACTED FROM PUBLIC RELEASE]

**System of Assessment and Verification of Constancy of Performance of the Construction Product
as set out in Annex V:**

4

Declared Performance:

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to Fire	A1	BS EN 14566: 2008 & A1: 2009
Flexural Strength	Pass	BS EN 14566: 2008 & A1: 2009

Declaration:

The performance of the product identified is in conformity with the declared performance.

This declaration of performance is issued under the sole responsibility of the manufacturer identified.

Signed for and on behalf of the manufacturer by:



Ryan Murphy
ASSOCIATE DIRECTOR

(In the place of Glasgow, United Kingdom on the date of 27th June 2013)